

Arete

Sample: 06-13-2023-34672

Sample Received: 06/13/2023;

Report Created: 06/20/2023; Expires: 06/13/2024

Apple Fritter
Plant, Flower - Uncured



19.068 %

Total THC

0.096 %

Δ-9 THC

23.979 %

Total Cannabinoids

<LOQ %

Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)

Date Tested: 06/13/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0500	0.0750	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0500	0.0750	0.096	0.960	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0500	0.0750	21.633	216.330	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0500	0.0750	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0500	0.0750	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0270	0.0750	<LOQ	<LOQ	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0500	0.0750	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0500	0.0750	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0500	0.0750	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0500	0.0750	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0500	0.0750	ND	ND	
Cannabidivarin (CBDV)	0.0500	0.0750	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.0500	0.0750	ND	ND	
Cannabidiol (CBD)	0.0500	0.0750	ND	ND	
Cannabidiolic Acid (CBDA)	0.0270	0.0750	<LOQ	<LOQ	
Cannabigerol (CBG)	0.0270	0.0750	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.0500	0.0750	1.957	19.570	
Cannabinol (CBN)	0.0500	0.0750	ND	ND	
Cannabinolic Acid (CBNA)	0.0500	0.0750	ND	ND	
Cannabichromene (CBC)	0.0500	0.0750	ND	ND	
Cannabichromenic Acid (CBCA)	0.0500	0.0750	0.293	2.930	
Total			23.979	239.790	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%

Total CBD Measurement of Uncertainty: ± 2.000%

THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com