

Arete

Sample: 07-14-2023-35798

Sample Received: 07/14/2023;

Report Created: 08/09/2023; Expires: 07/16/2024

Sour Patch Kids  
Plant, Flower - Cured



24.454 %

Total THC

0.248 %

Δ-9 THC

29.706 %

Total Cannabinoids

<LOQ %

Total CBD

## Cannabinoids

(Testing Method: HPLC, CON-P-3000)

Date Tested: 07/14/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0474	0.0711	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0474	0.0711	0.248	2.483	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0474	0.0711	27.600	276.000	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0474	0.0711	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0474	0.0711	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0474	0.0711	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0474	0.0711	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0474	0.0711	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0474	0.0711	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0474	0.0711	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0474	0.0711	ND	ND	
Cannabidivarin (CBDV)	0.0474	0.0711	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.0474	0.0711	ND	ND	
Cannabidiol (CBD)	0.0474	0.0711	ND	ND	
Cannabidiolic Acid (CBDA)	0.0436	0.0711	<LOQ	<LOQ	
Cannabigerol (CBG)	0.0474	0.0711	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.0474	0.0711	1.521	15.213	
Cannabinol (CBN)	0.0474	0.0711	ND	ND	
Cannabinolic Acid (CBNA)	0.0474	0.0711	ND	ND	
Cannabichromene (CBC)	0.0474	0.0711	ND	ND	
Cannabichromenic Acid (CBCA)	0.0474	0.0711	0.337	3.365	
<b>Total</b>			<b>29.706</b>	<b>297.061</b>	

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%


Total CBD Measurement of Uncertainty: ± 2.000%

THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.



New Bloom Labs  
6121 Heritage Park Drive, A500  
Chattanooga, TN 37416  
(844) 837-8223  
TN DEA#: RN0563975  
ANAB Testing Laboratory (AT-2868): ISO/IEC  
17025:2017

  
Natalie Siracusa  
Laboratory Director

Powered by  
reLIMS  
info@relims.com