

Arete

Sample: 11-07-2023-41285

Sample Received: 11/07/2023;

Report Created: 11/20/2023; Expires: 11/08/2024

Glitter Bomb
Plant, Flower - Cured



21.420 %

Total THC

0.268 %

Δ-9 THC

26.931 %

Total Cannabinoids

<LOQ %

Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)

Date Tested: 11/07/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0467	0.0701	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0467	0.0701	0.268	2.682	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0467	0.0701	24.119	241.187	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0467	0.0701	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0467	0.0701	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0467	0.0701	<LOQ	<LOQ	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0467	0.0701	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0467	0.0701	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0467	0.0701	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0467	0.0701	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0467	0.0701	ND	ND	
Cannabidivarin (CBDV)	0.0467	0.0701	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.0467	0.0701	ND	ND	
Cannabidiol (CBD)	0.0467	0.0701	ND	ND	
Cannabidiolic Acid (CBDA)	0.0308	0.0701	<LOQ	<LOQ	
Cannabigerol (CBG)	0.0467	0.0701	0.076	0.757	
Cannabigerolic Acid (CBGA)	0.0467	0.0701	1.683	16.832	
Cannabinol (CBN)	0.0467	0.0701	ND	ND	
Cannabinolic Acid (CBNA)	0.0467	0.0701	ND	ND	
Cannabichromene (CBC)	0.0467	0.0701	ND	ND	
Cannabichromenic Acid (CBCA)	0.0467	0.0701	0.785	7.850	
Total			26.931	269.308	

Total THC = THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%

Total CBD Measurement of Uncertainty: ± 2.000%

THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com