

Arete

Sample: 03-18-2024-47400

Sample Received: 03/18/2024;

Report Created: 04/12/2024; Expires: 03/19/2025

Sour Diesel
Plant, Flower - Uncured



27.340 %

Total THC

0.188 %

Δ-9 THC

33.365 %

Total Cannabinoids

<LOQ %

Total CBD

Cannabinoids

Complete

(Testing Method: HPLC, CON-P-3000)

Date Tested: 03/18/2024

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0441	0.0661	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0441	0.0661	0.188	1.877	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0441	0.0661	30.961	309.608	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0441	0.0661	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0441	0.0661	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0441	0.0661	0.189	1.885	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0441	0.0661	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0441	0.0661	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0441	0.0661	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0441	0.0661	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0441	0.0661	ND	ND	
Cannabidivarin (CBDV)	0.0441	0.0661	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.0441	0.0661	ND	ND	
Cannabidiol (CBD)	0.0441	0.0661	ND	ND	
Cannabidiolic Acid (CBDA)	0.0441	0.0661	<LOQ	<LOQ	
Cannabigerol (CBG)	0.0441	0.0661	0.069	0.687	
Cannabigerolic Acid (CBGA)	0.0441	0.0661	1.825	18.247	
Cannabinol (CBN)	0.0441	0.0661	ND	ND	
Cannabinolic Acid (CBNA)	0.0441	0.0661	ND	ND	
Cannabichromene (CBC)	0.0441	0.0661	ND	ND	
Cannabichromenic Acid (CBCA)	0.0441	0.0661	0.135	1.348	
Total			33.365	333.652	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%

Total CBD Measurement of Uncertainty: ± 2.000%

THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com